

QUEEN'S UNIVERSITY AT KINGSTON
Department of Economics

ECONOMICS 351* - Section B

Introductory Econometrics

Winter Term 1998

MID-TERM EXAM

M.G. Abbott

DATE: **Thursday March 5, 1998.**

TIME: **80 minutes; 4:00 p.m. - 5:20 p.m.**

INSTRUCTIONS: The exam consists of **FIVE (5)** questions. Students are required to answer **ALL FIVE (5)** questions.

Answer all questions in the exam booklets provided. Be sure your *name* and *student number* are printed clearly on the front of all exam booklets used.

Do not write answers to questions on the front page of the first exam booklet.

Please label clearly each of your answers in the exam booklets with the appropriate number and letter.

Please write legibly.

MARKING: The marks for each question are indicated in parentheses immediately above each question. **Total marks** for the exam **equal 100**.

GOOD LUCK!

QUESTIONS: Answer ALL FIVE questions.

All questions pertain to the simple (two-variable) linear regression model for which the population regression equation can be written in conventional notation as:

$$Y_i = \beta_1 + \beta_2 X_i + u_i \quad (1)$$

where Y_i and X_i are observable variables, β_1 and β_2 are unknown (constant) regression coefficients, and u_i is an unobservable random error term. The Ordinary Least Squares (OLS) sample regression equation corresponding to regression equation (1) is

$$Y_i = \hat{\beta}_1 + \hat{\beta}_2 X_i + \hat{u}_i \quad (i = 1, \dots, N) \quad (2)$$

where $\hat{\beta}_1$ is the OLS estimator of the intercept coefficient β_1 , $\hat{\beta}_2$ is the OLS estimator of the slope coefficient β_2 , \hat{u}_i is the OLS residual for the i -th sample observation, and N is sample size (the number of observations in the sample).

(15 marks)

1. Stating explicitly all required assumptions, prove that the OLS slope coefficient estimator $\hat{\beta}_2$ is an unbiased estimator of the slope coefficient β_2 . Include in your answer a definition of unbiasedness.

(15 marks)

2. Stating explicitly all required assumptions, derive the expression (or formula) for $\text{Var}(\hat{\beta}_2)$, the variance of the OLS slope coefficient estimator $\hat{\beta}_2$. How do you compute an unbiased estimator of $\text{Var}(\hat{\beta}_2)$?

(10 marks)

3. State the error normality assumption, and explain its implications for the sampling distribution of the OLS slope coefficient estimator $\hat{\beta}_2$.

(10 marks)

4. Give a general definition of the t-distribution. Use this definition to derive the t-statistic for the OLS slope coefficient estimator $\hat{\beta}_2$.

(50 marks)

5. A researcher is using data for a sample of 32 employees of a single company to investigate the relationship between annual salaries (Y_i), measured in thousands of dollars per year, and years of work experience since university graduation (X_i). Preliminary analysis of the sample data produces the following sample information:

$$\begin{array}{cccc}
 N = 32 & \sum_{i=1}^N X_i = 588.0 & \sum_{i=1}^N Y_i = 1516.1 & \\
 \sum_{i=1}^N x_i^2 = 2165.5 & \sum_{i=1}^N y_i^2 = 2303.7 & \sum_{i=1}^N x_i y_i = 948.16 & \sum_{i=1}^N \hat{u}_i^2 = 1888.6
 \end{array}$$

where $x_i \equiv X_i - \bar{X}$ and $y_i \equiv Y_i - \bar{Y}$ for $i = 1, \dots, N$. Answer all the following questions.

Show explicitly all formulas and calculations.

(10 marks)

- (a) Use the above information to compute the OLS estimates of the intercept coefficient β_1 and the slope coefficient β_2 . Interpret the slope coefficient estimate -- i.e., explain what the value of $\hat{\beta}_2$ means.

(5 marks)

- (b) Use the above information to compute the value of R^2 , the coefficient of determination for the estimated OLS sample regression equation. Briefly interpret what the calculated value of R^2 means.

(5 marks)

- (c) Use the above information to calculate the estimated variance of $\hat{\beta}_2$.

(10 marks)

- (d) Perform a test of the null hypothesis $H_0: \beta_2 = 0$ against the alternative hypothesis $H_1: \beta_2 \neq 0$ at the 5% significance level (i.e., for significance level $\alpha = 0.05$). State the decision rule you use, and the inference you would draw from the test. Would you draw the same inference if you performed the test at the 1% significance level (i.e., for significance level $\alpha = 0.01$)?

(10 marks)

- (e) Compute the two-sided 90% confidence interval for the slope coefficient β_2 .

(10 marks)

- (f) Perform a test of the null hypothesis $H_0: \beta_2 \leq 0.2$ against the alternative hypothesis $H_1: \beta_2 > 0.2$ at the 5% significance level (i.e., for significance level $\alpha = 0.05$). State the decision rule you use, and the inference you would draw from the test.

Percentage Points of the t-Distribution