



Queen's Economics Department Working Paper No. 868

# Contingent Claims Valued and Hedged by Pricing and Investment in a Basis

Dilip B. Madan

Frank Milne

Department of Economics  
Queen's University  
94 University Avenue  
Kingston, Ontario, Canada  
K7L 3N6

11-1992

Discussion Paper #868

Contingent Claims Valued and Hedged by Pricing  
and Investing in a Basis

by

Dilip B. Madan  
University of Maryland

Frank Milne  
Queen's University

November 1992

CONTINGENT CLAIMS VALUED AND HEDGED BY PRICING AND INVESTING IN A BASIS

by

Dilip B. Madan  
*(University of Maryland)*

and

Frank Milne  
*(Queen's University)*

November 1992

The authors would like to thank Robert Elliott, Stephen Figlewski, David Heath, Robert Jarrow, Francis Longstaff, David Nachman, Stuart Turnbull for comments on this paper. We also wish to thank participants of the May 1991 Derivative Securities Symposium held at Queen's University and participants of the Nov. 1992 Third Conference on Financial Economics and Accounting held at the Stern School of Business, New York University.

## ABSTRACT

Contingent claims with payoffs depending on finitely many asset prices are modeled as a separable Hilbert space. Under fairly general conditions, including market completeness, it is shown that one may change measure to a reference measure under which asset prices are Gaussian and for which the family of Hermite polynomials serve as an orthonormal basis. Basis pricing synthesizes claim valuation and basis investment provides static hedging opportunities. For claims written as functions of a single asset price we infer from observed option prices the implicit prices of basis elements and use these to construct the implied equivalent martingale measure density with respect to the reference measure which in this case is the Black Scholes Geometric Brownian motion model. Data on S&P 500 options from the Wall Street Journal is used to illustrate the calculations involved. On this illustrative data set the equivalent martingale measure deviates from the Black-Scholes model by relatively discounting the larger price movements with a compensating premia placed on the smaller movements.

## INTRODUCTION

Many contingent claims have payoffs that depend on finitely many asset prices at finitely many dates. Further these claims define finite mean and variance random variables. They can therefore be viewed as elements of a separable Hilbert space, that has a countable orthonormal basis. One could therefore effectively hedge all these claims by statically investing in the basis elements if the latter were traded. The basis therefore provides us with a set of claims that are statically market completing. Even though there may be no direct trading in the basis elements it is possible that traded claims provide avenues for indirect investment in the basis for at least some practically important subspaces of claims and thereby constitute for these subspaces a static market completing collection of claims.

The role of a Hilbert space basis in the analysis of contingent claims can usefully be compared to that of the role of pure discount bonds in the analysis of fixed income securities or the role of the paths of a tree for claims written on the nodes of a finite tree as for example in the binomial option pricing model. The pure discount bonds or the paths of the tree constitute the basis in these two cases. Every potential claim is a predetermined linear combination of the basis elements and the valuation problem is completed on pricing the basis. For fixed incomes the basis prices are given by the yield curve and for claims on the tree the basis prices are given by the yield curve and the risk neutral or equivalent martingale measure. This equivalent martingale measure is a set of security prices and is precisely the futures price of event contingent pure discount bonds that pay a unit face value at maturity only if a particular path is realized. We therefore refer to this measure as the futures price law.<sup>1</sup>

Valuation is completed on determining the yield curve and the futures price law.

The technique of extracting the yield curve and the futures price law from the prices of quoted bonds and bond options is now fairly common, for an example involving interest rate contingent claims see Hull and White (1990). This methodology is essentially extended here to the general environment of continuous state spaces. Early attempts at such an extension include Banz and Miller (1978) and Breeden and Litzenberger (1978) who proceeded by discretizing the continuum. Such a discretization approach is likely to become cumbersome in higher dimensions. This paper cuts through to a much neater basis representation that is useful in higher dimensions as well. This new basis representation of general claims and the futures price law comes at the cost of requiring some economic relevance for finite and small second moments.

A Hilbert space basis in general is difficult to construct as it requires an intimate knowledge of the stochastic process of the underlying asset prices. However, under fairly general conditions including dynamically complete primary asset markets we show that one can change measure initially to a Gaussian reference measure. In this regard we borrow from the literature on the reference probability approach to filtering theory introduced by Zakai (1969) and further studied by Elliott (1992). For the Gaussian reference measure a basis is provided by the family of Hermite polynomials. The economic and technical assumptions necessary for pricing and hedging claims using such a Hilbert space basis are described in detail. In addition to completeness we require the absence of free lunches in the sense of Stricker (1990). We also require square integrability of the true probability measure with respect to the Gaussian reference measure and Markov price processes. Our use of options as statically completing markets via indirect basis investment extends the approach of earlier literature reviewed in John (1981, 1984) and Amersthi (1985). A similar approach was also taken by Jones (1984) to hedge jump discontinuities in asset prices.


## FOOTNOTES

<sup>1</sup>We apologize for introducing yet another terminology for this measure. The existing terminology of risk neutral or equivalent martingale measure however stresses the preference and mathematical aspects of the measure. The terminology of state prices provides us with a discounted measure. Dothan (1990) termed this measure the equilibrium price measure and it is an undiscounted or futures price that is involved. The adjective equilibrium may be dropped as implicitly understood.

<sup>2</sup>For further details on this approach to valuing and hedging contingent claims see Harrison and Pliska (1981), Heath Jarrow and Morton (1992), and Jarrow and Madan (1991).

<sup>3</sup>We are indebted to David Heath for alerting our attention to these qualifications on the nature of the related hedging strategies.

equivalent martingale measures for november 28 1990  
maturities of 24, 52 and 108 days



Relying on the static completeness of European call and put options for the subspace of claims with payoffs written as a function of a single price, as demonstrated by Green and Jarrow (1987), Nachman (1988), we infer empirically the prices of basis elements for this subspace. From these basis elements one may infer empirically the futures price law and its density with respect to the reference measure. Previous attempts at this include Banz and Miller (1978), Breeden and Litzenberger (1978) and Jarrow (1986). More recently Longstaff (1991) uses option price data to construct the futures price law as a histogram. An illustrative application of our general theory to S&P 500 options reveals that for the dates studied the empirical futures price law discounted larger price movements and placed a premia on smaller price movements relative to the Black-Scholes log normal reference measure.

Section 1 presents the general Hilbert space theory of the basis risks. The reference measure space is introduced in section 2 for which section 3 presents the explicit basis. Applications to the subspace of claims with payoffs depending on a single price are presented in section 4. Section 5 concludes.

## 1. THE BASIS RISKS


We suppose that all processes are defined on the fixed probability space  $(\Omega, \mathcal{F}, P)$  for time  $t \in [0, T]$ . Suppose that  $\{\mathcal{F}_t\}$  is a right continuous filtration of sub- $\sigma$ -fields of  $\mathcal{F}$  with each  $\mathcal{F}_t$  containing all the null sets of  $\mathcal{F}$ . We restrict attention to the securities market model of Jarrow and Madan (1991).

**ASSUMPTION 1.1** We suppose that the filtration  $\mathcal{F}_t$  and the probability space  $(\Omega, \mathcal{F}, P)$  are generated by a  $d$ -dimensional standard Brownian motion  $w=[w^i(t), t \in [0, T]]$  initialized at 0.

Consider an economy that trades in a finite set of  $d$  primary assets continuously over time. Let  $S=[S^i(t), t \in [0, T]]$ , where  $S^i(t)=(S^1(t), S^2(t), \dots, S^d(t))$ , be the strictly positive  $d$ -dimensional stochastic process of the prices of the primary assets. Suppose there is also available a money market account accumulating at instantaneous interest rates given by the process  $r=[r(t), t \in [0, T]]$  with associated accumulation factor  $B(t)=\exp(\int_0^t r(u)du)$ . We suppose that  $r$  is also a positive process.

The focus of this paper is on valuing and hedging a wide class of contingent claims written as functions of the primary asset prices at various points of time. We restrict attention to a fixed finite set  $\tau^*$  of times relevant for describing the contingent claims of interest. Let  $\tau^*=\{t_0^*, t_1^*, \dots, t_M^*\}$  where  $0=t_0^* < t_1^* < \dots < t_M^*=T$ . For example the set  $\tau^*$  could include the times at which trading closes on each day and payments may be viewed as coming due at these times, though the value of the payment may depend on intraday prices. In general a typical contingent claim consists of a  $M$  dimensional vector  $\psi=(\psi^1, \dots, \psi^M)$  of functions. Each  $\psi^i$  is a function of the  $j$ d variables  $S^i(t_j)$  for  $k=1, \dots, j$  and  $i=1, \dots, d$  and specifies the rule for payment at time  $t_j$  on the contract for  $j=1, \dots, M$ . We denote by  $\mathcal{E}$  the set of all such contingent claims. This is a fairly large set that includes all European options as well as options with exercise prices that are determined by the prices of other assets at maturity or the same asset at a prespecified time before maturity or both. Many contracts likely to be written in practice fall into this category, including asian options, the large and growing market for asset swaps and options with automatic reset features for the exercise price.

equivalent martingale measures for october 31 1990  
maturities of 17, 52 and 136 days





DEFINITION 1.1 For each contingent claim  $\psi \in \mathcal{K}$  define the terminal payoff  $\pi(\psi)$  at time  $T$  by accumulating earlier payoffs at the money market account, specifically,

$$\pi(\psi) = \sum_{j=0}^M \frac{B(T)}{B(t_j)} \psi_j.$$

The space of contingent claims that we wish to value and hedge is a subset of the terminal payoffs associated with the elements of  $\mathcal{K}$ . We restrict attention here to claims whose final payoffs have finite means and variances.

DEFINITION 1.2 Let  $\mathcal{H}$  be the Hilbert space of all contingent claims  $\psi \in \mathcal{K}$  such that

$$\begin{aligned} \pi(\psi) \in L^2[(\Omega, \mathcal{F}, P)] \text{ with inner product,} \\ \langle \psi, \psi' \rangle = E^P[\pi(\psi)\pi(\psi')]. \end{aligned}$$

We consider the pricing and hedging of claims in  $\mathcal{H}$  by arbitrage in a complete markets environment. The traditional approach to hedging and pricing these claims use self financing dynamic trading strategies that continuously rebalance portfolios of the primary assets and the money market account to replicate these claims. In the absence of arbitrage opportunities, the market values of the claims are then given by the initial investment in the associated dynamic hedge.<sup>2</sup> The markets accomplishing the hedge are the infinitely many spot markets in the primary assets and the money market account available over the time continuum. With completeness and continuous readjustment of portfolios this is a rich enough collection of markets that captures all of  $\mathcal{H}$ . We focus here on static hedging strategies that require no rebalancing and invest instead in a suitable though infinite spanning subset of  $\mathcal{H}$  immediately.

TABLE 2  
Basis Prices for Polynomial Risks to Quartic Order

Date	Maturity	Basis Prices (t values)				
		Hermite Polynomial Order				
		0	1	2	3	4
October	17	0.9486 (-1.08)	-0.0746 (-4.29)	-0.2173 (-7.37)	-0.1881 (-5.22)	0.6406 (9.19)
31	52	1.003 (0.38)	-0.1028 (-4.55)	-0.2498 (-6.78)	-0.2112 (-4.80)	0.6474 (7.16)
1990	136	0.9283 (-1.06)	-0.0960 (-1.06)	-0.1993 (-10.90)	-0.3518 (-9.21)	0.2434 (1.44)
November	24	0.8286 (-2.90)	-0.0888 (-5.23)	-0.3139 (-9.37)	-0.0130 (-0.45)	0.5760 (8.41)
28	52	0.9626 (-0.22)	-0.0652 (-2.49)	-0.4177 (-6.25)	-0.1182 (-1.28)	0.4217 (2.00)
1990	108	0.9051 (-2.01)	-0.0454 (-4.34)	-0.3644 (-18.6)	-0.4066 (-10.8)	-0.0867 (-0.73)

**ASSUMPTION 1.2** Suppose the primary asset price process  $S$  is a  $d$ -dimensional semimartingale satisfying,

$$S(t, \omega) = S(0) + \int_0^t \hat{S}(u, \omega) \mu(u, \omega) du + \int_0^t \hat{S}(u, \omega) \sigma(u, \omega) dw(u)$$

for all  $(t, \omega) \in [0, T] \times \Omega$ , where  $\hat{S}(u, \omega)$  is the  $d \times d$  diagonal matrix with  $S(u, \omega)$  on the diagonal,  $\sigma$  is an adapted nonsingular matrix valued process for which for all  $i=1, \dots, d$  and  $j=1, \dots, d$ ,

$$\int_0^T \sigma_{ij}^2(u, \omega) du < +\infty \text{ a.e. } P$$

and for all  $i=1, \dots, d$

$$E[\int_0^T |\mu_i(u, \omega)| du] < \infty.$$

We suppose the absence of arbitrage opportunities and in particular suppose the existence of an equivalent martingale measure or futures price law. The latter is a stronger condition than just the absence of arbitrage opportunities as demonstrated in Back and Pliska (1991). Specifically one requires that limits of certain classes of trading strategies taken in an appropriate topology not result in a nonnegative and nonzero cash flow. Such hypotheses are termed the absence of free lunches. For further details see Stricker (1990), Delbaen (1992) and Lakner (1992).

**ASSUMPTION 1.3** There exists a probability measure  $Q$  on  $(\Omega, \mathcal{F}, P)$  equivalent to  $P$  such that under  $Q$  the processes  $BS^{-1} = [B(t)^{-1} S(t), t \in [0, T]]$  are martingales.

Assumptions 1.2 and 1.3 taken together imply that markets are dynamically complete with respect to the primary assets (Jarrow and Madan (1991)). The claims in  $\mathcal{H}$  are therefore dynamically redundant. This does not preclude their static usefulness and the

**TABLE 1**  
Minimized percentage errors and volatilities

Date	Maturity	Black Scholes		Basis Pricing	
		Average percentage error	Volatility	Average percentage error	Volatility
October 31	17 52	43.80 37.78	1.23 1.06	6.97 11.29	2.0 2.0
1990	136	45.80	1.07	3.72	2.0
November 28	24 52	50.26 46.16	0.83 0.83	15.24 10.41	2.0 2.0
1990	108	50.59	1.03	4.11	2.0

Hilbert space basis identifies a minimal statically spanning collection of claims. This basis synthesizes the futures price law, claim valuation and hedging. In the context of dynamically complete markets one may define the arbitrage free value of any claim in  $\mathcal{H}$ .

**DEFINITION 1.3** For each  $\psi \in \mathcal{H}$  define the arbitrage free value of  $\psi$ ,  $V(\psi)$  by

$$V(\psi) = E^Q[ B(T)^{-1} \pi(\psi) ] .$$

The equivalent martingale measure or the futures price law has by definition a density  $\Lambda = dQ/dP$  that is integrable with respect to  $P$  or is in  $L^1[(\Omega, \mathcal{F}, P)]$ . We make the stronger assumption of square integrability of this density. This hypothesis is equivalent to continuity of the pricing operator  $V(\psi)$  in the topology induced by the Hilbert space norm on  $\mathcal{H}$ . For an associated formulation of the required no free lunch hypothesis see Stricker (1990). We shall comment later on the nature of this hypothesis and the associated hedging strategies.

**ASSUMPTION 1.4** Suppose that the density  $\Lambda$  of the futures price law with respect to  $P$  is in  $L^2[(\Omega, \mathcal{F}, P)]$ .

Under assumption 1.4 one may value all the elements of  $\mathcal{H}$  by pricing a Hilbert space basis for  $\mathcal{H}$  and one may hedge all the elements of  $\mathcal{H}$  by investing statically in the basis elements. We first present the general structure of such valuation and hedging strategies.

DEFINITION 1.4 A set  $\mathcal{B} = \{\psi_\alpha | \alpha \in A\}$  is called an orthonormal basis for the Hilbert space  $\mathcal{H}$  if  $\mathcal{B}$  is an orthonormal set (i.e.,  $\langle \psi_\alpha, \psi_{\alpha'} \rangle = 1$  for all  $\alpha \in A$  and  $\langle \psi_\alpha, \psi_{\alpha'} \rangle = 0$  for all  $\alpha \neq \alpha'$  in  $A$ ) and if for all  $\psi$  in  $\mathcal{H}$

$$\psi = \sum_{\alpha \in A} a_\alpha \psi_\alpha$$

where  $a_\alpha = \langle \psi, \psi_\alpha \rangle$  is non-zero for only countably many terms in the sum and the equality represents convergence in the Hilbert space norm of the finite partial sums.

THEOREM 1.1 Every Hilbert space contains an orthonormal basis for itself.

PROOF See Dunford and Schwartz (1988) Theorem 12 page 252.

THEOREM 1.2 Assumptions 1.1 - 1.3 imply that the valuation operator  $V$  satisfies

$$V(\psi) = \sum_{\alpha \in A} a_\alpha(\psi) V(\psi_\alpha).$$

PROOF Let  $\psi \in \mathcal{H}$  and let  $\alpha_n$  enumerate the countable subset of  $A$  for which  $\langle \psi, \psi_{\alpha_n} \rangle \neq 0$ . By the definition of  $V$  we have that

$$V(\psi) = E^0 [B(T)^{-1} \pi(\psi)] = E^0 [AB(T)^{-1} \pi(\psi)].$$

On the other hand

$$\begin{aligned} \sum_{k=1}^n a_{\alpha_k} V(\psi_{\alpha_k}) &= \sum_{k=1}^n a_{\alpha_k} E^0 [B(T)^{-1} \pi(\psi_{\alpha_k})] \\ &= \sum_{k=1}^n a_{\alpha_k} E^0 [AB(T)^{-1} \pi(\psi_{\alpha_k})] \\ &= E^0 [AB(T)^{-1} \sum_{k=1}^n a_{\alpha_k} \pi(\psi_{\alpha_k})] \end{aligned}$$

and so

10

Lakner, P. (1992): "Martingale Measures for Right-Continuous Processes which are Bounded Below," Working Paper, New York University, Dept. of Statistics and Operations Research, New York.

Longstaff, F. A. (1992): "An Empirical Examination of the Risk-Neutral Valuation Model," Working Paper, Ohio State University, Columbus, Ohio.

Minlshstein, G.N. (1974): "Approximate Integration of Stochastic Differential Equations," *Theory of Probability and Applications*, 19, 557-562.

Nachman, D. C. (1988) "Spanning and Completeness with Options," *Review of Financial Studies*, 3, 311-328.

Ross, S. A. (1976): "Options and Efficiency," *Quarterly Journal of Economics*, 90, 75-89.

Royden, H.L. (1968): *Real Analysis*, New York, The MacMillan Company.

Rozanov, Y. A. (1982): *Markov Random Fields*, New York, Springer Verlag.

Stricker, C. (1990): "Arbitrage et Lois de Martingale," *Ann. Inst. Henri Poincaré*, 26, 451-460.

Wolfram, S. (1988): *Mathematica: A system for doing Mathematics by Computer*, New York, Addison-Wesley Publishing Company.

Green, R. C. and R. A. Jarrow (1987): "Spanning and Completeness in markets with Contingent Claims," *Journal of Economic Theory*, 41, 202-210.

Hochstadt, H. (1973): *Integral Equations*, New York, John Wiley & Sons.

Hull, John and Alan White (1990): "Pricing Interest-Rate Derivative Securities," *Review of Financial Studies*, 3, 573-592.

Jarrow, R. A. (1986): "A Characterization Theorem for Unique Risk Neutral Probability Measures," *Economic Letters*, 22, 61-65.

Jarrow, R. A. and D. B. Madan (1991): "A Characterization of Complete Security Markets on a Brownian Filtration," *Mathematical Finance*, 1, 31-44.

John, K. (1981): "Efficient Funds in A Financial Market with Options: A New Irrelevance Proposition," *Journal of Finance*, 36, 685-695.

John, K. (1984): "Market Resolution and Valuation in Incomplete Markets," *Journal of Financial and Quantitative Analysis*, 19, 29-44.

Jones, P. E. (1984): "Option Arbitrage and Strategy with Large Price Movements," *Journal of Financial Economics*, 13, 91-113.

$$V(\psi) - \sum_{k=1}^n a_{\alpha_k} V(\psi_{\alpha_k}) = E^P[\Lambda B(T)^{-1} (\pi(\psi) - \sum_{k=1}^n a_{\alpha_k} \pi(\psi_{\alpha_k}))]$$

It follows from assumption 1.4 and the boundedness of  $B(T)^{-1}$  that  $\Lambda B(T)^{-1} \in L^2[(\Omega, \mathcal{F}, P)]$ .

Applying the Cauchy Schwarz inequality we have that

$$|V(\psi) - \sum_{k=1}^n a_{\alpha_k} V(\psi_{\alpha_k})| \leq \| \Lambda B(T)^{-1} \| \|\pi(\psi) - \sum_{k=1}^n a_{\alpha_k} \pi(\psi_{\alpha_k})\|$$

The result follows as the right hand side converges to zero as  $n$  tends to infinity by definition of the Hilbert space basis. ■

**THEOREM 1.3** The futures price law density  $\Lambda$  is given by

$$\Lambda = \sum_{\alpha \in A} V(\psi_{\alpha})^{\psi} \alpha.$$

**PROOF** The futures price for  $T$  delivery of any claim  $\psi$  coming due at  $T$  is given by

$$V(\psi) = E^Q[\psi] = E^P[\Lambda \psi] = \langle \Lambda, \psi \rangle.$$

Define

$$\Gamma = \sum_{\alpha \in A} V(\psi_{\alpha})^{\psi} \alpha$$

By theorem 1.2 we have that

$$V(\psi) = \langle \psi, \Gamma \rangle$$

and hence  $\Lambda$  must equal  $\Gamma$ . ■

By theorem 1.2, once one has found and priced a basis, all other claims may be priced in terms of the prices of the basis elements. A useful analogy may be made between the role of basis elements in pricing  $\mathcal{H}$  and the role of zero coupon bonds in pricing of fixed income securities or the role of the paths of the tree in the binomial

option pricing model. They both form a basis for the respective class of securities.

Typical valuation exercises involve backing out the prices of the pure discount bonds and the paths of the tree from quoted bond and option prices. This identifies the yield curve and the futures price law which may then be used to value all other claims. A similar strategy will be invoked here to back out the prices for the Hilbert space basis. Theorem 1.3 shows how one may recover completely the futures price law from these basis prices.

Current practice treats observed market prices as free of error and backs out basis prices. More generally one should permit observed prices to be noisy and the extraction of basis prices is then a nonlinear filtering problem. We leave this filtering problem for future research and follow here the current practice of directly backing out basis prices.

One can easily visualize how quoted bond prices encode pure discount bond prices and option prices encode state prices or discounted futures prices and why one may therefore back out the yield curve and prices of the paths of the tree. In contrast the encoding here is in a Hilbert space sense in that difference between the claim and, for all practical purposes, the approximating basis representation is an arbitrarily small mean and variance random variable. This representation is obtained at the cost of requiring that such low second moment random variables are of little economic significance to investors. This is precisely the economic content of the assumption of square integrability of the futures price law density and delivers in the process theorems 1.2 and 1.3 and the relevance of the futures price law density expressed in terms of the basis with basis prices as coefficients.

In general the basis for an arbitrary Hilbert space can be very large and there is no operational advantage in describing or pricing the basis. Under certain conditions,

## REFERENCES

- Amersthi, A.H. (1985): "A Complete Analysis of Full Pareto Efficiency in Financial Markets for Arbitrary Preferences," *Journal of Finance*, 40, 1235-1243.
- Back, K. and S. Pliska (1991): "On the Fundamental Theorem of Asset Pricing with an Infinite State Space," *Journal of Mathematical Economics*, 20, 1-18.
- Banz, R. W. and Merton H. Miller (1978): "Prices for State Contingent Claims: Some Estimates and Applications," *Journal of Business*, 51, 653-672.
- Breedon, D. T. and R. H. Litzenberger (1978): "Prices of State Contingent Claims Implicit in Option Prices," *Journal of Business*, 51, 621-652.
- Delbaen, F. (1992): "Representing Martingale Measures when Asset Prices are Continuous and Bounded," *Mathematical Finance*, 2, 107-130.
- Dothan, U. (1990): *Prices in Financial Markets*. Oxford, Oxford University Press.
- Dunford, N. and J. T. Schwartz (1988): *Linear Operators PART I: General Theory*, New York, John Wiley and Sons.
- Elliott, R. J. (1992): "A General Recursive Discrete Time Filter," Working Paper Department of Statistics and Applied Probability, University of Alberta, Edmonton.

Future research could usefully identify bases relevant for various subclasses of claims and estimate and study the time series properties of basis prices. This does for contingent claims what the study of the yield curve does for fixed income securities. A promising area of application would be in the space of interest rate contingent claims.

described below, a countable basis can be constructed and effectively employed to facilitate pricing and hedging strategies. One need merely store the basis representation of claims and the claim representation of basis elements to execute simultaneously the valuation and hedging strategy. The hedging may be done statically or dynamically.

The static hedging strategy using basis investment requires that one purchase  $\langle \psi, \psi_\alpha \rangle$  units of  $\psi_\alpha$ . Only countably many of these requirements are nonzero and one may approximate the hedge by investing in a suitable partial sum of assets. An intuition of the relevant basis components can be obtained by comparing the complexity of the claim payoffs with that of the basis elements. For example, when we later introduce polynomial basis elements it is important to evaluate the degree of non-linearity or oscillation in the claim payoff to assess whether one is going to need many higher order terms for an adequate basis representation of the claim. As noted earlier it is important to note that the approximate hedge is a Hilbert space approximation in that the difference between the hedge cash flow and the cash flow that is to be hedged is a random variable with an arbitrarily small mean and variance. In particular, the hedge cash flow may leave one exceedingly short in contingencies that have appropriately small probabilities so as not to disturb the second moment. In the terminology of financial hedging, there is present in these hedges "basis" risk or positive deviation between the hedge and the hedged. The quality of the hedge is therefore dependent on the validity of the underlying probability model.

For the hedge to be reasonable and less dependent on the validity of the underlying probability model we need the convergence of hedge cash flows to the hedged cash flow in the  $L^\infty$  or maximum absolute deviation sense. The associated no free lunch hypothesis is in the sense of Delbaen (1992) with an associated  $L^1$  futures price law density.<sup>3</sup>

Unfortunately the  $L^\infty$  space does not have a basis and for this stronger sense of hedging the synthesizing methods of this paper fail. The square integrability of the futures price law is therefore an important economic restriction that is implicit in interpreting the derived basis prices and futures price laws.

One may also think of the basis elements as analogous to factors in asset pricing. Typically, one visualizes different variables as factors and we do not consider powers or nonlinear functions of factors. But then the space of claims is also restricted to portfolios that are linear combinations of asset returns. The space of claims considered here includes nonlinear transforms of asset returns and hence the factors involve similar transformations.

For the purposes of analysing the structure of  $\mathcal{H}$  we may restrict attention to the imbedded discrete time stochastic processes  $p_j = B(t_j)$  and  $P_j^i = S^i(t_j)$  for  $j = 0, 1, \dots, M$  and  $i = 1, \dots, d$ . The final payoffs are then functions of the finitely many entities  $p_j$ ,  $P_j^i$  and the resulting Hilbert space is separable (Dunford and Schwartz (1988) page 169 exercise 6). It follows (Royden (1968) Proposition 27 page 212) that  $\mathcal{H}$  has a countable basis. Pricing and hedging can then be effectively synthesized in terms of this countable basis. In the next section we proceed to construct such a basis for the general securities model introduced here.

## 2. THE REFERENCE MEASURE SPACE

A basis for a separable Hilbert space can in general be constructed from any countable maximal linearly independent set in the space by using the procedures of Gram-Schmidt orthogonalization (Hochstadt (1989)). Apart from the choice of the initial dense set the orthogonalization depends critically on the probability measure  $P$  that defines

at a finite set of dates is viewed as a separable Hilbert space. As such it has a countable orthonormal basis that may be used to price and hedge statically all claims in the space. In general this basis is difficult to construct as it requires an intimate knowledge of the stochastic process of asset prices. Under fairly general conditions, including market completeness, it is shown that one may apply the reference measure approach of filtering theory and first change measure to a reference measure under which asset prices are Gaussian. For the Hilbert space constructed with respect to this reference measure an explicit basis is provided by the family of Hermite polynomials in the asset prices or returns.

Such a basis for contingent claims plays the role of pure discount bonds in the analysis of fixed income securities or the role of the paths of a tree in the analysis of claims on binomial or multinomial trees. It synthesizes the valuation problem by representing all valuation as derivative to basis pricing. Claim hedges may easily be derived from basis hedges. Finally basis prices completely specify the equivalent martingale measure or futures price law.

Relying on the completeness of call and put options (Ross (1976), Green and Jarrow (1987), Nachman (1988)) the subspace of claims written as functions of a single asset price at a single time point is analysed further. Specifically we infer from observed option prices the implicit prices of the basis elements and use these prices to construct the empirically implied equivalent martingale measure or futures price law density with respect to the Black-Scholes equivalent martingale measure as the reference measure.

Using data on S&P 500 options for two dates we illustratively calculate the implied prices and densities. It is found that on these dates the futures price law deviated from the Black-Scholes model by relatively discounting large price movements with a compensating premia placed on smaller movements.



polynomial risk prices.

Table 1 reports the average percentage pricing error for each date and maturity using basis pricing and for comparison the Black-Scholes formula with an implied volatility that was allowed to vary with maturity. The Black-Scholes implied volatility estimates are around 1 per cent for both dates and maturities. The basis pricing reference measure volatilities are estimated at 2 per cent. The percentage errors for the Black-Scholes model are quite high and these are significantly reduced by employing polynomials to the fourth order or the quartic basis pricing model.

The prices of the Hermite polynomial risks are reported in Table 2 along with  $t$ -values for the Black-Scholes hypothesis that  $\pi_0 = e^{-rt}$  and  $\pi_k = 0$  for  $k > 0$ . The hypothesis that the risk free security is priced at  $e^{-rt}$  is not rejected at the five per cent level in five of the six cases. The hypothesis that the higher order prices are zero is however rejected in most cases. The prices also display a pattern with negative values for the first three orders and positive values for the fourth order.

Graphs of the change of measure densities  $\hat{\lambda}(z)$  are presented in Figures 1 and 2, for days 1 and 2 respectively, using the estimated Hermite polynomial risk prices for the quartic basis pricing model. Under the validity of the Black-Scholes model this function should be identically equal to one. It can be observed from the graphs that large deviations from current index values on both sides are discounted relative to the log normal hypothesis for the Black-Scholes futures price law. The adjustment to the log normal is also seen to be greater for the shorter maturities.

## 5. CONCLUSION

The space of contingent claims written as functions of a finite set of asset prices

the inner product for  $\mathcal{H}$ . An effective basis cannot be constructed without a detailed knowledge of the measure  $P$ . The approach we follow is suggested by the reference probability method used first in the theory of nonlinear filtering by Zakai (1969) and more recently by Elliott (1992). We shall in fact change measure to a Gaussian reference measure  $\tilde{P}$  in a discrete time context and for this purpose we follow the approach of Elliott (1992) closely.

For the study of  $\mathcal{H}$ , as noted before, we may restrict attention to the discrete time discounted price processes  $X_j^i = \rho_j^{-1} P_j^i$ . The securities market model implies that

$$X_j^i = X_{j-1}^i + \int_{j-1}^j S^i(u, \omega) (\mu(u, \omega) - r(u, \omega)) du + \int_{j-1}^j S^i(u, \omega) \sum_{k=1}^d \sigma_{ik}(u, \omega) dw_k(u)$$

This general model is restricted further in this section to that of a Markov process.

This may be done by supposing that the drift and diffusion coefficients as well as the interest rate depend just on the vector of current asset prices. One can however be a little more general and allow for an exogenous vector Markov process of state variables as well.

**ASSUMPTION 2.1** There exists a  $m$ -dimensional Markov process  $\xi = [\xi(t), t \in [0, T]]$  satisfying

$$\xi(t) = \xi(0) + \int_0^t g(u, \xi(u)) du + \int_0^t \theta(u, \xi(u)) dB(u)$$

where  $g$  is a  $K$ -dimensional vector valued function and  $\theta$  is a  $m \times q$  matrix valued function on  $[0, T] \times \mathbb{R}^m$  and  $B$  is  $q$ -dimensional standard Brownian motion possibly correlated with  $w$ . Furthermore the coefficients  $\mu$  and  $\sigma$  satisfy

$$\mu(u, \omega) = \mu(u, S(u), \xi(u))$$

and

$$\sigma(u, \omega) = \sigma(u, S(u), \xi(u)).$$

Let  $y_j = (\ln P_j^1, \dots, \ln P_j^M)$ ,  $x_j = \xi(t_j)$  for  $j=1, \dots, M$  and consider a discrete time approximation to the continuous time process  $[\ln S, \xi]$  constructed for the time points  $\tau$ . For example one could use a higher order approximation as constructed for example by Milhstein (1974). This resulting approximation provides functions  $F_j: \mathbb{R}^m \times \mathbb{R}^m \rightarrow \mathbb{R}^m$  and  $H_j: \mathbb{R}^d \times \mathbb{R}^m \times \mathbb{R}^d \rightarrow \mathbb{R}^d$  such that

$$\begin{aligned} x_j - x_{j-1} &= F_j(x_{j-1}, \sqrt{t_j - t_{j-1}} w_j) \\ y_j - y_{j-1} &= H_j(y_{j-1}, x_{j-1}, \sqrt{t_j - t_{j-1}} b_j) \end{aligned}$$

where  $w_j, b_j$  are sequences of random variables, independent across  $j$ , that are distributed as multivariate normals with mean 0 and variance covariance matrices of  $I_m$  and  $I_d$  respectively. Let the density of  $w_j$  be  $\psi(w)$  and that of  $b_j$  be  $\phi(b)$ .

We suppose that the nonlinear functions  $H_j$  may be inverted to recover  $b_j$  from the returns  $y_j - y_{j-1}$ . This is a complete markets hypothesis for the discrete time model.

**ASSUMPTION 2.2** There exists a function  $G: \mathbb{R}^d \times \mathbb{R}^m \times \mathbb{R}^d \rightarrow \mathbb{R}^d$ , such that

$$b_j = G(y_j - y_{j-1}, x_{j-1}, y_j - y_{j-1}) \text{ when } y_j - y_{j-1} = H_j(y_{j-1}, x_{j-1}, b_j)$$

and the  $d \times d$  matrices  $\partial H_j / \partial b_j$  and  $\partial G_j / \partial(y_j - y_{j-1})$  are non-singular.

Let  $\mathcal{F}_j = \sigma\{y_0, \dots, y_{j-1}, x_0, \dots, x_{j-1}\}$  be the  $\sigma$ -field generated by the past in the discrete time model. Denote by  $\bar{P}$  the probability measure of the discrete time model with  $\bar{\alpha}$  the corresponding event space. The continuous time model  $(\alpha, \mathcal{F}, P)$  is then approximated by  $(\bar{\alpha}, \mathcal{F}, \bar{P})$ . We now construct a change of measure from  $\bar{P}$  to  $P_0$  on  $\mathcal{F}$  in the following way.

Define the process  $\tau_j$  as follows,

to construct the futures price law histogram.

#### 4.3 Illustrative evaluations using S&P 500 options

Data for closing prices on S&P 500 call and put options was obtained from the Wall Street Journal on two dates, October 31 1990 and November 28 1990, henceforth dates 1 and 2 respectively. Basis prices are like the Treasury yield curve and can be calculated and reported on a daily basis. We examine the one dimensional model outlined in subsections 4.1 and 4.2 for three maturities. The time 1 maturities in days are 17, 52 and 136 and the time 2 maturities are 24, 52 and 108. The interest rate for both dates is 10% and the S&P 500 index was 304.06 and 318.10 at times 1 and 2 respectively. The interest rate is supposed constant for the maturities being considered. Exercise prices were taken at 10 dollar intervals and this gave 12, 19 and 13 options at time 1 for the maturities of 17, 52 and 136 days respectively. At time 2 we have 16, 10 and 14 options for the maturities 24, 52 and 108. Complications due to dividend distributions and early exercise on the American feature of the options are ignored in these illustrative calculations. All computations are made using Mathematica (Wolfram (1988)) as this software provides internal routines for analytical Taylor series evaluations.

For each date and maturity we project the observed closing option prices onto the space generated by the Taylor series coefficients of these options with respect to the first five Hermite polynomials. This determines estimated prices for polynomial risks to the quartic order. In constructing the projection we minimized squared pricing errors relative to the option price itself. We used a reference measure that is close to the Black Scholes futures price law by conducting the Taylor series expansions at  $\mu = r = 10\%$ . The value of  $\sigma$  for the reference measure was estimated by grid search along with the

equivalent martingale measure then  $\pi_0 = e^{-rT}$  and  $\pi_k = 0$  for all  $k > 0$ .

#### 4.2 Basis prices implicit in market data and the empirical futures price law

Let  $w$  be a vector of observed market prices for European call and put options of a fixed maturity  $t$  on an asset with current asset price  $S_0$ . Theorem 3.1 implies that we should be able to write

$$w_i = \sum_{k=0}^{\infty} A_{ik} \pi_k$$

where the coefficients  $A_{ik}$  can be obtained from Taylor series expansions in  $u$  of the generators  $\phi(u, S_0, X, \mu, \sigma, t)$  and  $\psi(u, S_0, X, \mu, \sigma, t)$  for calls and puts respectively.

Truncating the partial sum at some polynomial order  $N$  we may approximate the prices of basis elements by

$$w = A\pi + \varepsilon$$

where  $A$  is a matrix of  $N$  columns and rows equal to the number of options. Estimates for  $\hat{\pi}$  could then be obtained by an application of least squares methods.

One may construct from  $\pi$ , using theorem 3.1, the empirically implied futures price law. It follows from theorem 3.1, using undiscounted prices that

$$\lambda(z) = \sum_{k=0}^{\infty} e^{rT} \pi_k \phi_k(z)$$

with an approximation of

$$\hat{\lambda}(z) = \sum_{k=0}^N e^{rT} \pi_k \phi_k(z).$$

In the next subsection we illustrate these calculations of empirically implied basis prices and futures price laws using data on S&P 500 options. The results are compared with the theoretical model for Black-Scholes basis pricing as described in subsection 4.1. For another approach at estimating the empirical futures price laws from options price data the reader is referred to Longstaff (1992). Longstaff uses call option prices

$$\tau_j = \frac{\phi(y_j - y_{j-1})}{\phi(b_j)} \left[ \det \frac{\partial G(y_{j-1}, x_{j-1}, y_j - y_{j-1})}{\partial(y_j - y_{j-1})} \right]^{-1}$$

and the process  $\Lambda_j$  by

$$\Lambda_j = \prod_{\ell=1}^j \tau_{\ell}.$$

The new probability measure  $\hat{P}$  is defined by setting the Radon-Nikodym derivative  $d\hat{P}/dP$  equal to  $\Lambda_j$ .

**THEOREM 2.1** Under  $\hat{P}$  the random variables  $y_j - y_{j-1}$  are independent multivariate normal with zero mean and covariance matrix  $I_d$ .

**PROOF** Consider the  $\mathcal{F}_j$  conditional probability distribution function for the returns  $y_j - y_{j-1}$  under  $\hat{P}$ . This is given by

$$\begin{aligned} \hat{P}(y_j - y_{j-1} = z \mid \mathcal{F}_j) &= \hat{E}[I(y_j - y_{j-1} = z) \mid \mathcal{F}_j] \\ &= \frac{E[\Lambda_j I(y_j - y_{j-1} = z) \mid \mathcal{F}_j]}{E[\Lambda_j \mid \mathcal{F}_j]} \\ &= \frac{E[\tau_j I(y_j - y_{j-1} = z) \mid \mathcal{F}_j]}{E[\tau_j \mid \mathcal{F}_j]} \end{aligned}$$

Substituting for  $\tau_j$  we obtain

$$E[\tau_j \mid \mathcal{F}_j] = \int_{\mathbb{R}^d} \frac{\phi(y_j - y_{j-1})}{\phi(b_j)} \left[ \det \frac{\partial G(y_{j-1}, x_{j-1}, y_j - y_{j-1})}{\partial(y_j - y_{j-1})} \right]^{-1} \phi(b_j) db_j.$$

Since

$$db_j = \frac{\partial G_j(y_{j-1}, x_{j-1}, y_j - y_{j-1})}{\partial(y_j - y_{j-1})} d(y_j - y_{j-1})$$

it follows that

$$E[\tau_j | \mathcal{F}_j] = \int_{\mathbb{R}^d} \phi(y_j - y_{j-1}) d(y_j - y_{j-1}) = 1$$

and

$$\begin{aligned} P(y_j - y_{j-1} \leq z | \mathcal{F}_j) &= E[\tau_j I(y_j - y_{j-1} \leq z) | \mathcal{F}_j] \\ &= \int_{\mathbb{R}^d} \frac{\phi(y_j - y_{j-1})}{\phi(b_j)} \cdot \det \frac{\partial G_j(y_{j-1}, x_{j-1}, y_j - y_{j-1})}{\partial(y_j - y_{j-1})} \cdot I^{-1}(y_j - y_{j-1} \leq z) \phi(b_j) db_j \\ &= \int_{\mathbb{R}^d} \phi(y_j - y_{j-1}) I(y_j - y_{j-1} \leq z) d(y_j - y_{j-1}) = \end{aligned}$$

Hence the asset log returns are independently identically distributed as multivariate normals with zero means, unit variances and zero covariances under  $\tilde{P}$ . The Hilbert space with respect to the reference measure  $\tilde{P}$  however and the approximation to the true measure  $\tilde{P}$  are not necessarily the same. For this to be the case we require an assumption on the boundedness of the density  $\Lambda_M$ .

**ASSUMPTION 2.3** The density  $d\tilde{P}/d\tilde{P} = \Lambda_M$  is uniformly bounded above and below by  $\Delta$  and  $\delta$  respectively.

#### 4.1 Black-Scholes prices for basis elements

Under the Black-Scholes model the true probability measure is a Geometric Brownian motion and we may use this as the reference measure itself. The density of the futures price law with respect to the true or reference measure is well known in this case and it may be written in terms of  $z$  as

$$\lambda(z) = e^{\alpha\sqrt{t}z - \alpha^2 t/2}$$

where  $\alpha = (r - \mu)/\sigma$  (see Dothan (1990) page 210). Using the constant interest rate assumption of the Black-Scholes model we obtain that

$$\pi_k = e^{-\pi \int_{-\infty}^{\infty} e^{\alpha\sqrt{t}z - \alpha^2 t/2} \phi_k(z) n(z) dz}$$

For an explicit evaluation of  $\pi_k$ , observe that on rearrangement

$$\sqrt{kT} \pi_k = e^{-\pi \int_{-\infty}^{\infty} e^{-(z - \alpha\sqrt{t})^2/2} \phi_k(z)/\sqrt{2\pi} dz}$$

and substituting  $u = \alpha\sqrt{t}$  in the generator for the Hermite polynomials we obtain that

$$\frac{e^{-(z - \alpha\sqrt{t})^2/2}}{\sqrt{2\pi}} = \sum_{j=0}^{\infty} \phi_j(z) n(z) \frac{\alpha^j t^{j/2}}{j!}.$$

Performing the integration, using the orthogonality of the polynomials  $\phi_k$  with respect to the density  $n(z)$  we get that

$$\pi_k = e^{-\pi \int_{-\infty}^{\infty} \frac{\alpha^k t^{k/2}}{\sqrt{k!}}}$$

Since  $\alpha$  is negative the prices alternate in sign and tend to zero as  $k$  tends to infinity. It is further interesting to note that though the European call and put options do not themselves depend upon  $\mu$  the mean rate of return, both the call coefficients  $a(k, S_0, x, \mu, \sigma, t)$  and the put coefficients  $b(k, S_0, x, \mu, \sigma, t)$  depend on  $\mu$  as does the price  $\pi_k$  of the basis element  $\phi_k(z)$ . In particular, if the reference measure is taken to be  $Q$  the

Under assumptions 2.1-2.3 the Hilbert space  $\mathcal{H} = L^2[(\tilde{\alpha}, \tilde{\varphi}, \tilde{P})]$  is the same as the space  $L^2[(\tilde{\alpha}, \tilde{\varphi}, \tilde{P})]$  and the latter is an approximation for  $L^2[(\alpha, \varphi, P)] = \mathcal{H}$ . Furthermore the Hilbert space  $\mathcal{H}$  is that of a Gaussian random process by construction. The Hilbert space  $\mathcal{H}$  has a well known basis given by the Hermite polynomials that we shall use to price all of  $\mathcal{H}$ . We therefore begin with the space  $\mathcal{H}$  and the first step is represent expectations with respect to  $\tilde{P}$  the approximation to  $P$  in terms of  $\tilde{P}$  expectations. To construct  $\tilde{P}$  starting from  $P$  we proceed in an inverse manner.

Define

$$\tilde{\tau}_j = \frac{\phi(b_j)}{\phi(y_j, y_{j-1})} \cdot \left| \det \frac{\partial H(y_{j+1}, x_{j+1}, b_j)}{\partial y_j} \right|^{-1}$$

and

$$\tilde{\lambda}_j = \prod_{\ell=1}^j \tilde{\tau}_\ell$$

$\tilde{P}$  is obtained by setting the Radon-Nikodym derivative  $d\tilde{P}/dP$  equal to  $\tilde{\lambda}_j$ . A proof similar to that of theorem 2.1 shows that under  $\tilde{P}$  thus defined,  $b_j$  is independent and identically distributed with zero mean, unit variance and zero covariance.

**THEOREM 2.2** Under assumptions 2.1-2.3 the market value of an arbitrary claim  $\psi$  in  $\mathcal{H}$  may be approximated by

$$V(\psi) \approx \tilde{E} [ B(T)^{-1} \lambda(T) \tilde{\lambda}_M \pi(\psi) ] .$$

**PROOF** This is the result of two successive changes of measure,

$$d_2(u) = d_1(u) - \sigma\sqrt{t}.$$

Analogously define the European put coefficient generator by,

$$\psi(u, S_0, x, \mu, \sigma, t) = \int_{-\infty}^0 p(z, S_0, x, \mu, \sigma, t) e^{-(z-u)^2/2} / \sqrt{2\pi} dz.$$

From the put call parity condition we have by integration that

$$\phi(u, S_0, x, \mu, \sigma, t) - \psi(u, S_0, x, \mu, \sigma, t) + x = S_0 e^{\mu t} + \sigma\sqrt{tu}.$$

Taking successive derivatives we obtain the following relations between the European call and put basis coefficients.

$$b(0, S_0, x, \mu, \sigma, t) = a(0, S_0, x, \mu, \sigma, t) + x - S_0 e^{\mu t}$$

while

$$b(k, S_0, x, \mu, \sigma, t) = a(k, S_0, x, \mu, \sigma, t) - S_0 e^{\mu t} \frac{\sigma\sqrt{t}}{\sqrt{k!}}$$

for  $k > 0$ .

Let  $C(S_0, x, \mu, \sigma, t)$  and  $P(S_0, x, \mu, \sigma, t)$  denote the market prices for the European call and put option prices with maturity  $t$ , exercise  $x$ , initial price  $S_0$  and reference measure statistics of  $\mu$  and  $\sigma^2$  for the mean and variance rates. It follows from Theorem 3.1 that

$$C(S_0, x, \mu, \sigma, t) = \sum_{k=0}^{\infty} a(k, S_0, x, \mu, \sigma, t) \pi_k$$

and

$$P(S_0, x, \mu, \sigma, t) = \sum_{k=0}^{\infty} b(k, S_0, x, \mu, \sigma, t) \pi_k.$$

From observed prices of European call and put options one may infer the prices of basis elements. We illustrate this extraction of implicit basis prices in two ways, first assuming the validity of the Black-Scholes asset pricing model and second using observed option prices.

$$\begin{aligned}
V(\Psi) &= E^Q[B(T)^{-1}\pi(\Psi)] \\
&= E^P[\Lambda(T)B(T)^{-1}\pi(\Psi)] \approx E[\Lambda(T)B(T)^{-1}\pi(\Psi)] \\
&= E[\tilde{\Lambda}_M\Lambda(T)B(T)^{-1}\pi(\Psi)]. \blacksquare
\end{aligned}$$

The results of section 1 may now be applied to the reference Hilbert space  $\mathcal{K}$  with market prices of arbitrary claims represented in terms of the market prices of the basis claims. Static hedging strategies in the Hilbert space sense may also be implemented. The next section introduces the basis for  $\mathcal{K}$ .

disturbance takes on the value  $z$ . Specifically,

$$c(z, S_0, x, \mu, \sigma, t) = \left[ S_0 e^{\mu t} + \sigma \sqrt{t} z - \sigma^2 t/2 - x \right]^+$$

and

$$p(z, S_0, x, \mu, \sigma, t) = \left[ x - S_0 e^{\mu t} \sigma \sqrt{t} z - \sigma^2 t/2 \right]^+.$$

Let the coefficients of the call and put options with respect to the basis be respectively  $a(k, S_0, x, \mu, \sigma, t)$  and  $b(k, S_0, x, \mu, \sigma, t)$ .

For explicit expressions for these coefficients we employ the generating function of the Hermite polynomials to obtain generating functions for the European call and put option coefficients. From the generating function for the Hermite polynomials we have that

$$\frac{e^{-(z-u)^2/2}}{\sqrt{2\pi}} = \sum_{k=0}^{\infty} \frac{\phi(z) n(z)}{\sqrt{k!}} \frac{u^k}{\sqrt{k!}}.$$

Now define

$$\Phi(u, S_0, x, \mu, \sigma, t) = \int_{-\infty}^{\infty} c(z, S_0, x, \mu, \sigma, t) e^{-(z-u)^2/2} \sqrt{2\pi} dz.$$

and observe that,

$$a(k, S_0, x, \mu, \sigma, t) = \frac{\partial^k \Phi(u, S_0, x, \mu, \sigma, t)}{\partial u^k} \bigg|_{u=0} \frac{1}{\sqrt{k!}}.$$

Standard integration techniques yield that

$$\Phi(u, S_0, x, \mu, \sigma, t) = S_0 e^{\mu t} + \sigma \sqrt{t} u N(d_1(u)) - x N(d_2(u))$$

where

$$d_1(u) = \frac{1}{\sigma \sqrt{t}} \ln \frac{S_0}{x} + \left[ \frac{\mu}{\sigma} + \frac{\sigma}{2} \right] \sqrt{t} + u$$

and

mean  $\mu$  and variance  $\sigma^2$  is bounded above and below by  $\Delta$  and  $\delta$  as required by assumption 2.3.

A complete orthonormal system for the Hilbert space of square integrable functions of  $S$  and hence  $z$  with respect to  $\bar{P}$  is then given by the Hermite polynomials  $\phi_p(z)$  for  $p=0, \dots, \infty$ . Any claim  $g(z)$  in this subspace may be expressed in terms of this basis by

$$g(z) = \sum_{k=0}^{\infty} a_k \phi_k(z)$$

where

$$a_k = \int_0^{\infty} g(z) \phi_k(z) n(z) dz$$

with market values given in accordance with Theorem 3.1 by

$$V[g(z)] = \sum_{k=0}^{\infty} a_k \pi_k$$

where  $\pi_k$  is the implicit price of  $\phi_k(z)$  for all  $k$ . Furthermore the futures price law has the density

$$\lambda(z) = \sum_{k=0}^{\infty} \pi_k \phi_k(z)$$

with respect to the standard normal reference measure on  $z$ .

The Hermite polynomial risk prices are not directly observable as these assets are not directly traded but their prices may be inferred from the prices of traded assets that use them as basis elements. One such class of traded assets is the collection of European call and put options on a stock, with varying exercise prices. In fact, if the continuum of exercise prices are employed for the fixed maturity then these assets form a market completing set of securities for the subspace of claims considered in this section (Nachman 1988). We proceed by performing a basis analysis of these claims and obtain analytically the coefficients of these claims with respect to the basis.

Let  $c(z, S_0, x, \mu, \sigma, t)$  and  $p(z, S_0, x, \mu, \sigma, t)$  be the payoffs at maturity  $t$  to European call and put options for exercise prices of  $x$  when the underlying stock has, under the reference measure, a mean return of  $\mu$ , a volatility of  $\sigma$  and the normal random

### 3. THE HERMITE POLYNOMIAL BASIS FOR THE REFERENCE SPACE

The Hilbert space  $\mathcal{K}$  may be viewed as the space of functions defined on  $\mathbb{R}^{Md}$ , with the coordinates representing log asset returns  $z_j = y_j - y_{j-1}$ , that are square integrable with respect to  $\bar{P}$ . Let  $z = (z_1, \dots, z_M)$ , the measure  $\bar{P}$  is defined by the density

$$\bar{P}(dz) = \frac{1}{(2\pi)^{Md/2}} \cdot e^{-z^T z / 2} dz.$$

A basis for  $\mathcal{K}$  may be constructed using Hermite polynomials and for this we follow Rozanov (1982).

**DEFINITION 3.1** A polynomial  $\phi(z)$  of degree  $p$  in the variables  $z$  is said to be a Hermite polynomial if it is orthogonal to all polynomials of degree  $q < p$  in the space  $\mathcal{K}$ . Let  $H_p(z)$  denote the closed linear span of all Hermite polynomials of degree  $p$ .

The spaces  $H_p(z)$  for  $p=0$  are orthogonal by construction and  $\mathcal{K}$  is their direct sum. Hence we may write

$$\mathcal{K} = \sum_{p=0}^{\infty} H_p(z).$$

Furthermore, if  $z_1$  and  $z_2$  are two components of  $z$  with no common variables then the spaces  $H_p(z_1)$  and  $H_p(z_2)$  are orthogonal. In particular for every  $\psi$  in  $\mathcal{K}$ , let  $\psi_p$  be the projection of  $\psi$  onto  $H_p(z)$  then we may write

$$\psi = \sum_{p=0}^{\infty} \psi_p.$$

The structure of  $H_p$  may be further described in terms of specific Hermite polynomials. Let  $\phi_p(x)$  be the Hermite polynomial of order  $p$  in a single variable. Specifically, let  $n(x)$  be the density function of the standard normal variate then let

$$\phi_p(x) = (-1)^p \frac{\partial^p n(x)}{\partial x^p} \frac{1}{n(x)}.$$

The first few Hermite polynomials are

$$\phi_0(x) = 1 ; \phi_1(x) = x ; \phi_2(x) = x^2 - 1 ; \phi_3(x) = x^3 - 3x ; \dots$$

These polynomials have to be normalized to unit variance to form an orthonormal system and so define

$$\phi_p(x) = \frac{\phi_p(x)}{\sqrt{p!}}.$$

**DEFINITION 3.2** A complete orthonormal set or basis for  $K$  is given by the polynomials

$$B(p, z) = \phi_{p_1}(z_1) \phi_{p_2}(z_2) \dots \phi_{p_k}(z_k) \dots \phi_{p_{Md}}(z_{Md})$$

where  $p = (p_1, \dots, p_{Md})$ ,  $p_k = 0, 1, 2, \dots$  for  $k=1, \dots, Md$  and the degree of the Hermite polynomial  $B(p, z)$  is  $h = p_1 + \dots + p_{Md}$ .

**THEOREM 3.1** An arbitrary claim  $\psi$  in  $K$  may be written as

$$\psi(z) = \sum_p a(p) B(p, z)$$

where  $p = (p_1, \dots, p_{Md})$  and  $p_k = 0, 1, \dots$  for  $k=1, \dots, Md$ . The coefficients  $a(p)$  are obtained by the inner product

$$a(p) = \int_{R^{Md}} \psi(z) B(p, z) f(dz).$$

The market value of  $\psi$  is approximated by

$$V(\psi) \approx \sum_p a(p) \pi(p)$$

where  $p = (p_1, \dots, p_{Md})$  and  $p_k = 0, 1, \dots$  for  $k=1, \dots, Md$  and  $\pi(p)$  is the implicit market price of  $B(p, z)$ . The futures price law density is given by

$$\Lambda(z) = \sum_p \pi(p) B(p, z).$$

**PROOF** A direct consequence of Theorems 1.1, 1.2 and 1.3 applied to the specific space  $K$ . ■

The fundamental risks that are to be priced in valuing a space of contingent claims are therefore given by the Hermite polynomial risks of various orders in the returns. Every model for contingent claim valuation implicitly does this fundamental evaluation. These polynomials represent risks of increasing complexity in a larger number of variables. The next section makes an application of this theory to the case of a single asset and time point. This includes European calls and puts and we also present an analysis of these assets in terms of the basis.

#### 4. APPLICATIONS TO CLAIMS DEPENDING ON A SINGLE PRICE

We consider in this section a basis analysis of the subspace of claims written as functions of the price of a single asset at a single time point termed the maturity. Let  $S$  denote the price of the asset at the maturity time  $t$ .

**ASSUMPTION 4.1** Suppose that under the Gaussian reference measure  $\mathbb{P}$  we may write that

$$S = S_0 e^{\mu t + \sigma \sqrt{t} z - \frac{1}{2} \sigma^2 t}$$

where  $z$  is a standard normal random variate of zero mean unit variance and density  $n(z)$ .

This assumption is consistent, for example, with time varying but deterministic drifts and volatilities under the reference measure. More generally, such a reference measure may be employed as long as the ratio of the true density for  $\ln S$  to a normal with